

#### **Tested flexible busbars**

Cu-flex is made of copper wires that are woven to a flexible busbar. By the use of a patented technique, the ends of the busbar is forged to a solid unit, thus obtaining a contact surface that makes it possible to make maintenance-free connections.



# TESTED FLEXIBLE COPPER BUSBARS

Cu-flex busbars ensure a prompt and professional execution of electrical connections. The busbars are supplied ready for use! This means that you do not have to spend time on shortening, stripping the wires, making holes, or complicated bends.

Cu-flex has been tested and approved under various circumstances by i.a. DEKRA and DNV.

In addition Cu-flex is UL recognized in category "Component - Panelboard and Switchboard Accessories".





# Connection: Busbar to busbar



# ADVANTAGES WITH A CU-FLEX BUSBAR

- Delivered ready for use
- No shortening, stripping or making holes for fitting required
- Multi-flexible
- Rated current at 30°C, up to 1040A
- Lengths 160 1120 mm
- Time-saving installation
- Does not contain dioxins
- Up to 1000V

# BUSBAR WITH A MINIMUM OF MAINTENANCE

A Cu-flex copper busbar is made of copper wires that are woven to a flexible busbar. CUBIC's patented technique forges the ends of the busbar to a solid unit. Thus obtaining a contact surface that makes it possible to produce maintenance-free connections. No tin or the like has been added.



Connection: Between electrical components.




## **AVAILABLE VERSIONS**


Length Type	160	224	288	352	416	480	544	608	672	736	800	864	928	1120
FB25	X <sup>1)</sup>	X <sup>1)</sup>	X <sup>1)</sup>	X <sup>1)</sup>	X <sup>1)</sup>	X <sup>1)</sup>	Х	Х	Х	Х	Х	Х	Х	Х
FB50	X <sup>1)</sup>	X <sup>1)</sup>	X <sup>1)</sup>	X <sup>1)</sup>	X <sup>1)</sup>	X <sup>1)</sup>	Х	Х	Х	Х	Х	Х	Х	Х
FB100	Х	Х	Х	Х	Х	Х	X <sup>2)</sup>	Х	Х	Х	Х	Х	Х	Х
FB240	Length is not available		Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
FB243			Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	X <sub>3)</sub>	Х
Evample:	Typo + I	onath i	n mm	- tvno	No. (	Y <sup>2)</sup> ) – F	DINNE	,,, (°	X <sup>3)</sup> ) - F	D2/201				

Example: Type + length in mm = type No.:  $(X^{2})$  = FB100544  $(X^{3})$  = F

## **DIMENSIONS**



## MOUNTING PRINCIPLES




## RATED CURRENT AT 30°C [IN]

FB25	FB50	FB100	2 x FB100	FB240 FB243	2 x FB240 2 x FB243
190 A	295 A	420 A	645 A	690 A	1040 A

<sup>1)</sup> Also available with green/yellowinsulation

Type No.: PE-FB25XXX PE-FB50XXX



# DENMARK (Head office)

CUBIC-Modulsystem A/S Skjoldborgsgade 21 DK-9700 Broenderslev Denmark Tel. +45 9882 2400 info@cubic.eu

#### **NORWAY**

CUBIC-Norge A/S Postboks 33 Jeksleveien 55 3300 Frogner Norge Tel. +47 6386 7100 info@cubic-norge.no

#### **SWEDEN**

CUBIC Svenska AB Box 353 Hantverksgatan 5 B S-571 24 Nässjö Sweden Tel. +46(0)380 741 70 info@cubicsvenska.se

#### **POLAND**

CUBIC Polska Sp. Z o.o. North West Logostics Park Kniewska Street 5 PL-70-846 Szczecin Poland Tel. +45 9882 2400 info@cubic.eu

#### U.K.

CUBIC Modular Systems (U.K.) Ltd Unit 1, Queensmead Place Textilose Road, Trafford Park Manchester, M17 1PH U.K.

Tel. +44 161 876 4742 info@cubic-uk.co.uk

#### **IRELAND**

CUBIC-Modulsystem A/S Units 64 & 65 Parkwest Enterprise Centre Parkwest Industrial Park IRL-Dublin 12 Ireland Tel. +353 16 215 288/289 info@cubic.ie

#### **CHINA**

CUBIC Electromechanical System (Tianjin) Co., Ltd 30 Xin Ye 3rd Street TEDA West Building 17 Tianjin, 300462 China Tel. +86 (22) 5983 2158 info@cubic.asia

#### **BELGIUM**

CUBIC-Modulsystem A/S Chaussée de Namur 85A B-1400 Nivelles Belgium Tel. +32 6721 2979 info@be.cubic.dk

#### **INDIA**

CUBIC Modular System India Private Limited No. B01, ESR Industrial and Logistics Park, Varanavasi Village, Oragadam, Walajabad Taluk, Kanchipuram District TamilNadu, India - 631 604. Tel. +91 44 4028 2506 info@cubic.eu

### **SPAIN**

CUBIC Modular System Espaňa SL. Ronda Maiols, 1 - Ed., BMC, local 349 08192 Sant Quirze del Vallès Barcelona, Spain Tel. +34 684 259 748 info@es.cubic.eu

#### THE NETHERLANDS

CUBIC Nederland BV Kelvinring 54 2952 BG Alblasserdam The Netherlands Tel. +31 (0) 627 064 567 info@nl.cubic.eu

