

MPI is an insert system for the installation of all types of components, switches, and fuse switches as well as MCCBs and motor starters.

As always, when you use CUBIC, the system is fully flexible for all types of components. An almost 100% component adjustment is possible, as the system is available in various combinations, widths, heights, and depths.

MPI is a well-documented insert system with extreme functionality and high safety for personnel. The system has been constructed in order to obtain a very rational workshop fitting is obtained, and the end product is thus an extremely competitive solution.

6

MPI INSERT

The MPI insert is available in 36 sizes. Various mounting plates are available, of these 28 with cuts for busbar connections.


The insert is available in three depths; a mounting bracket provides the possibility of placing the mounting plate in many different depths in steps of 8 mm.

The operation of the fitted components can take place through one big door, with front coverings if necessary, or through individual doors.

Insert/size			Mounting plate				
			- size			0 e	°
					· I .	• •	
Depth	Width	Height	Width	Height			·
 . 1 M	2M	1M	298 mm	190 mm	Х	Х	
	2M	1.5M	298 mm	286 mm	Х	Х	
	2M	2M	298 mm	382 mm	Х	Х	Х
	2M	3M	298 mm	574 mm	Х	Х	Х
	2M	4M	298 mm	766 mm		Х	
	3M	1M	490 mm	190 mm	Х	Х	
	3M	1.5M	490 mm	286 mm	Х	Х	
	3M	2M	490 mm	382 mm	Х	Х	
	3M	3M	490 mm	574 mm	Х	Х	Х
	3M	4M	490 mm	766 mm		Х	Х
	4M	1M	682 mm	190 mm		Х	
	4M	2M	682 mm	382 mm	Х	Х	
	4M	3M	682 mm	574 mm	Х	Х	
	4M	4M	682 mm	766 mm		Х	
1.5 M	2M	1M	298 mm	190 mm	Х	Х	
	2M	1.5M	298 mm	286 mm	Х	Х	
	2M	2M	298 mm	382 mm	Х	Х	Х
	2M	3M	298 mm	574 mm	Х	Х	Х
	2M	4M	298 mm	766 mm		Х	
	3M	1M	490 mm	190 mm	Х	Х	
	3M	1.5M	490 mm	286 mm	Х	Х	
	3M	2M	490 mm	382 mm	Х	Х	
	3M	3M	490 mm	574 mm	Х	Х	Х
	3M	4M	490 mm	766 mm		Х	Х
	4M	1M	682 mm	190 mm		Х	
	4M	2M	682 mm	382 mm	Х	Х	
	4M	3M	682 mm	574 mm	Х	Х	
	4M	4M	682 mm	766 mm		Х	
2 M	2M	1.5M	298 mm	286 mm	Х	Х	
	2M	2M	298 mm	382 mm	Х	Х	Х
	2M	3M	298 mm	574 mm	Х	Х	Х
	3M	1.5M	490 mm	286 mm	Х	Х	
	3M	2M	490 mm	382 mm	Х	Х	
	3M	3M	490 mm	574 mm	Х	Х	Х
	4M	2M	682 mm	382 mm	Х	Х	
	4M	3M	682 mm	574 mm	Х	Х	

The MPI insert can function as busbar covering and complies with the requirements to Form 1, 2, 3, and 4, and an internal separation higher than IP3X can be obtained.

The MPI insert can be loaded with up to 50 kg.



TECHNICAL DATA

MATERIAL/BASIC TREATMENT:

Galvanized or iron-phosphated steel plate Surface/colour: Powder-lacquered, colour RAL 7035

STANDARD AND APPROVALS:

IEC/EN 61439-2, DEKRA, The Netherlands DNV/GLand Russian Maritime Register of Shipping.

RATED VOLTAGE (U_E):

Up to 1000 V; 50 Hz Test voltage: Up to 3,5 kV

MAIN BUSBAR: (Horizontal busbars)

RATED CURRENT: Up to 6000 A

SHORT-TIME WITHSTAND CURRENT, Icw: Up to 120 kA

PEAK WITHSTAND CURRENT, lpk: Up to 264 kA

DISTRIBUTION BUSBAR: (Vertical busbars)


RATED CURRENT: Up to 2000 A

SHORT-TIME WITHSTAND CURRENT, Icw: Up to 80 kA


PEAK WITHSTAND CURRENT, Ipk: Up to 176 kA











DENMARK (Head office)

CUBIC-Modulsystem A/S Skjoldborgsgade 21 DK-9700 Broenderslev Denmark Tel. +45 9882 2400 info@cubic.eu

U.K.

CUBIC Modular Systems (U.K.) Ltd Unit 1, Queensmead Place Textilose Road, Trafford Park Manchester, M17 1PH U.K. Tel. +44 161 876 4742 info@cubic-uk.co.uk

INDIA

CUBIC Modular System India Private Limited No. B01, ESR Industrial and Logistics Park, Varanavasi Village, Oragadam, Walajabad Taluk, Kanchipuram District TamilNadu, India - 631 604. Tel. +91 44 4028 2506 info@cubic.eu

NORWAY

CUBIC-Norge A/S Postboks 33 Jeksleveien 55 3300 Frogner Norge Tel. +47 6386 7100 info@cubic-norge.no

IRELAND

CUBIC-Modulsystem A/S Units 64 & 65 Parkwest Enterprise Centre Parkwest Industrial Park IRL-Dublin 12 Ireland Tel. +353 16 215 288/289 info@cubic.ie

SPAIN

CUBIC Modular System Espaňa SL. Ronda Maiols, 1 - Ed., BMC, local 349 08192 Sant Quirze del Vallès Barcelona, Spain Tel. +34 684 259 748 info@es.cubic.eu

SWEDEN

CUBIC Svenska AB Box 353 Hantverksgatan 5 B S-571 24 Nässjö Sweden Tel. +46(0)380 741 70 info@cubicsvenska.se

CHINA

CUBIC Electromechanical System (Tianjin) Co., Ltd 30 Xin Ye 3rd Street TEDA West Building 17 Tianjin, 300462 China Tel. +86 (22) 5983 2158 info@cubic.asia

THE NETHERLANDS

CUBIC Nederland BV Kelvinring 54 2952 BG Alblasserdam The Netherlands Tel. +31 (0) 627 064 567 info@nl.cubic.eu

POLAND

CUBIC Polska Sp. Z o.o. North West Logostics Park Kniewska Street 5 PL-70-846 Szczecin Poland Tel. +45 9882 2400 info@cubic.eu

BELGIUM

CUBIC-Modulsystem A/S Chaussée de Namur 85A B-1400 Nivelles Belgium Tel. +32 6721 2979 info@be.cubic.dk

